

THIS MATERIAL SAFETY DATA SHEET MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200 AND ANSI Z400-1-1998.

---

---

1. PRODUCT AND COMPANY IDENTIFICATION:

10/23/08

---

---

PRODUCT CODE: VG-103 SL-86  
TRADE NAME: FABRIC PROTECTOR ( ValuGard )  
PRODUCT DESCRIPTION: MIXTURE OF HYDROCARBONS AND RESINS  
GENERAL USE: FABRIC/CARPET PROTECTOR

MANUFACTURER: Automotive International  
ADDRESS: 8855 Blue Ash Road  
Cincinnati, Ohio 45242  
PHONE NUMBER: (513) 489-7883 (8am-5pm m-f)  
FAX NUMBER: (513) 489-1329  
CHEMTREC: (800) 424-9300 (24 HOUR)  
OUTSIDE U.S. (703) 527-3887

2. COMPOSITION INFORMATION ON INGREDIENTS:

COMPONENT	CAS#	WT%
HYDROTREATED LIGHT DISTILLATE	64742-48-9	90-99
TETRAISOPROPOXY TITANATE	546-68-9	2-5

HAZARDOUS COMPONENTS (OSHA 29CFR 1910.1200)

HYDROTREATED LIGHT DISTILLATE OSHA PEL & ACGIH 400 ppm

VOC COMPLIANT: NON-VOC COMPLIANT

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW: Non viscous clear liquid with a mild solvent odor. May be irritating to skin and eyes with prolonged contact.  
INHALATION: High concentrations may be irritating to eyes, throat, and nose.  
EYE CONTACT: Irritating, but will not permanently injure eye tissue.  
SKIN CONTACT: Frequent or prolonged contact may irritate skin.  
INGESTION: Overexposure by ingestion may injure your liver or kidney.  
CHRONIC: None known

4. FIRST AID MEASURES:

INHALATION: Remove to fresh air.  
EYE CONTACT: Rinse with water for 15 minutes. Get medical attention if irritation persists.  
SKIN CONTACT: Wash with soap and water. Rinse thoroughly.  
INGESTION: Do not induce vomiting. Get medical attention.  
POTENTIAL ENVIRONMENTAL EFFECTS: None known.

5. FIRE FIGHTING MEASURES:

Flashpoint and Method: 120°F/48.9°C TCC  
Flammable Limits: 1.3 to 9.8% by volume  
Autoignition Temperature: Not Available

HAZARDOUS COMBUSTION PRODUCTS: Possible oxides of carbon.

FIRE FIGHTING INSTRUCTIONS: Use water mist to cool fire exposed drum.

FIRE FIGHTING EQUIPMENT: Bunker gear and SCBA.

6. ACCIDENTAL RELEASE MEASURES:

LAND SPILL: Eliminate ignition source. Isolate hazard area and deny entry to unauthorized personnel. Avoid runoff into storm sewers or ditches by containment with sand or absorbent material.

WATER SPILL: Remove from water source by skimming or with suitable absorbents.

7. HANDLING AND STORAGE:

HANDLING - TAKE NORMAL CARE TO PREVENT PROLONGED SKIN CONTACT.

STORAGE - KEEP FROM FREEZING OR FROM HEATING ABOVE 120°F. STORE IN ORIGINAL CONTAINER.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

ENGINEERING CONTROLS: The use of mechanical ventilation is not needed under normal conditions.

PERSONAL PROTECTION: Not need under normal conditions. However for prolonged contact the use of rubber gloves and a respirator is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES:

VAPOR PRESSURE: 3 mm HG @ 100°F

SPECIFIC GRAVITY: .760 @ 70°F

SOLUBILITY IN WATER: Insoluble

PH: Not Available

BOILING POINT: Not Available

VISCOSITY: 1.7 cps @ 70°F

EVAPORATION RATE: .1 (n-Butyl Acetate=1)

FREEZING POINT: Not Available

ODOR: Mild Solvent

APPEARANCE: Clear liquid

PHYSICAL STATE: Liquid

FLASH POINT: 120°F/48.9°C

VOC%: 745 g/Liter (Calculated)

10. STABILITY AND REACTIVITY:

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: Strong Oxidizers

HAZARDOUS DECOMPOSITION: None

11. TOXICOLOGICAL INFORMATION: The complete toxicological data for each ingredient is beyond the scope of this document.

12. ECOLOGICAL INFORMATION:

ECOTOXICOLOGICAL INFORMATION: None Known

13. DISPOSAL CONSIDERATION:

Please refer to Sections 5,6, and 15 for disposal and regulatory information.

14. TRANSPORTATION INFORMATION:

DOT Shipping description: Consumer Commodity ORM-D

15. REGULATORY INFORMATION:

TSCA (Toxic Substance Control Act): All components are listed on the TSCA.

CERCLA: Not reportable

SARA Title III: No known reportable ingredients.

16. OTHER INFORMATION:

NFPA RATING: Health-1,Fire-2,Reactivity-0

KEY: 4=Severe,3=Serious,2=Moderate,1=Slight,0=Minimal

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.