

THIS MATERIAL SAFETY DATA SHEET MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200 AND ANSI Z400-1-1998.

1. PRODUCT AND COMPANY IDENTIFICATION:

10/23/08

PRODUCT CODE: M-58 VALUGARD VG-ETR-T
TRADE NAME: TONER (ETR-KIT)
PRODUCT DESCRIPTION: MIXTURE
GENERAL USE: AUTOMOTIVE SPECIFIED COATING

MANUFACTURER: AUTOMOTIVE INTERNATIONAL
ADDRESS: 8855 Blue Ash Road
CINCINNATI, OHIO 45242

PHONE NUMBER: (513) 489-7883 (8am-5pm m-f)
FAX NUMBER: (513) 489-1329
CHEMTREC: (800) 424-9300 (24 HOUR)
OUTSIDE U.S. (703) 527-3887

2. COMPOSITION INFORMATION ON INGREDIENTS

| COMPONENTS | CAS# | WT% |
|------------------|----------------|-------|
| ACRYLIC EMULSION | Not Applicable | 45-65 |
| TITANIUM DIOXIDE | 113463-67-7 | 10-20 |
| AMORPHOUS SILICA | 7631-86-9 | 10-20 |

HAZARDOUS COMPONENTS (OSHA 29CFR 1910.1200)

None

OSHA PEL & ACGIH

VOC Compliant - 4/16/05

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW: Semi-viscous white liquid with an acrylic odor.
Irritating to eyes on contact.
INHALATION: None known.
EYE CONTACT: Irritation and redness.
SKIN CONTACT: Will dye or stain skin.
INGESTION: Irritation, & nausea.
CHRONIC: None known

4. FIRST AID MEASURES:

INHALATION: None known.
EYE CONTACT: Rinse with water for 15 minutes. If irritation persists, Get medical attention.
SKIN CONTACT: Wash with soap & water and rinse thoroughly.
INGESTION: Drink water to dilute, If irritation persists, Get medical attention.
POTENTIAL ENVIRONMENTAL EFFECTS: None known.

5. FIRE FIGHTING MEASURES:

Flashpoint and Method: Will not flash
Flammable Limits: Not Available
Auto-ignition Temperature: Not Available

HAZARDOUS COMBUSTION PRODUCTS: Possible oxides of carbon.

FIRE FIGHTING INSTRUCTIONS: Spills will cause slippery conditions.

FIRE FIGHTING EQUIPMENT: None Known.

6. ACCIDENTAL RELEASE MEASURES:

LAND SPILL: Avoid runoff into storm sewers or ditches by containment with sand or absorbent material.

WATER SPILL: Remove from with suitable absorbent material.

7. HANDLING AND STORAGE:

HANDLING - TAKE NORMAL CARE TO PREVENT PROLONGED SKIN CONTACT.

STORAGE - KEEP FROM FREEZING OR FROM HEATING ABOVE 120°F. STORE IN ORIGINAL CONTAINER.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

ENGINEERING CONTROLS: The use of mechanical ventilation is not needed under normal conditions.

PERSONAL PROTECTION: Not need under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES:

VAPOR PRESSURE: Not Determined

SPECIFIC GRAVITY: 1.17 @ 70°F

SOLUBILITY IN WATER: Completely

PH: 9.5 - 10.0

BOILING POINT: Not Available

VISCOSITY: 1,700 - 2,500 cps. (Spindle 4 @ 20 rpm)

EVAPORATION RATE: .1 (n-Butyl Acetate=1)

FREEZING POINT: Not Available

ODOR: Acrylic

APPEARANCE: Semi-viscous white liquid with an acrylic odor.

PHYSICAL STATE: Liquid

FLASH POINT: Will not flash.

VOC%: 0 g/Liter (Calculated)

10. STABILITY AND REACTIVITY:

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: None Known.

HAZARDOUS DECOMPOSITION: None Known.

11. TOXICOLOGICAL INFORMATION: The complete toxicological data for each ingredient is beyond the scope of this document.

12. ECOLOGICAL INFORMATION:

ECOTOXICOLOGICAL INFORMATION: None known.

13. DISPOSAL CONSIDERATION:

Please refer to Sections 5,6, and 15 for disposal and regulatory information.

14. TRANSPORTATION INFORMATION:

DOT Shipping description: Unrestricted/Non-regulated

15. REGULATORY INFORMATION:

TSCA (Toxic Substance Control Act): All components are listed on the TSCA.

CERCLA: Not reportable

SARA Title III: No known reportable ingredients.

16. OTHER INFORMATION:

NFPA RATING: Health-1,Fire-0,Reactivity-0

KEY: 4=Severe,3=Serious,2=Moderate,1=Slight,0=Minimal

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.