

# SAFETY DATA SHEET

Revision Date: 7/19/2016

This Safety Data Sheet may be used to comply with OSHA's Hazard Communication Standard, 29 CFR 910.1200 and ANSI Z400-1-1998.

## Section 1: Identification of the Product and of the Company

Product Code	ETRIII – VG-CG
Trade Name	ValuGard Color Gard
Product Description	Mixture
General Use	Vehicle Trim Colorant
Manufacturer	Automotive International
Address	8855 Blue Ash Rd. Cincinnati, Ohio 45242
Phone	(513) 489-7883 (8am-5pm M-F)
Fax	(513) 489-1329
Chemtrec	(800) 262-8200 (24 hour)
Outside U.S.	(703) 741-5500

## Section 2: Hazards Identification

OSHA Hazards	Irritant
Signal Word	Warning
Hazard Statement(s)	H302 Harmful if swallowed H320 Causes eye irritation H316 Causes mild skin irritation

Pictogram(s)



Precautionary Statement(s)	P301 IF SWALLOWED: Contact poison center or doctor/physician. P305 IF IN EYES: Rinse cautiously with water for several minutes. +351 Remove contact lenses if present and easy to do so – +338 continue rinsing. P302 IF ON SKIN: Wash with plenty of water. +352
----------------------------	--

## Section 3: Composition/Information on Ingredients

Component	CAS	Weight %
Dipropylene Glycol Methyl Ether	34590-94-8	9.0-11.5
Acrylic Polymer Emulsion	Not applicable	38.0-42.0
Methylchloroisothiazolinone	26172-55-4	.5-1.0
Nonylphenol Ethoxylate	68412-54-4	.5-1.5
Oxidized Polyethylene	68441-17-8	.5-1.5

**Hazardous Components**

(OSHA 29 CFR 1910.1200)

Dipropylene Glycol Methyl Ether	Combustible liquid
Nonylphenol Ethoxylate	Skin and eye irritant
Methylchloroisothiazolinone	Serious eye damage. Skin corrosion
Oxidized Polyethylene	Serious eye damage. Mild skin irritation.

The specific chemical identities and/or exact percentage concentration of composition may have been withheld as a trade secret.

**Section 4: First Aid Measures**

Inhalation	No known significant effects or critical hazards.
Skin Contact	Wash with soap and water. Rinse thoroughly.
Eye Contact	Rinse cautiously with water. Get medical attention if irritation persists.
Ingestion	Do not induce vomiting. Get medical attention.
Symptoms/Effects	None known

**Section 5: Firefighting Measures**

Hazardous Combustion Products	Possible oxides of carbon.
Firefighting Instructions	Use water spray, dry chemical, carbon dioxide, or alcohol foam. Use water mist to cool fire exposed containers.
Firefighting Equipment	None known.

**Section 6: Accidental Release Measures**

Land Spill	Avoid run off into storm sewers or ditches by containment with sand or absorbent material.
Water Spill	Remove from water with suitable absorbent material.

**Section 7: Handling and Storage**

Precautions for Safe Handling	Wear skin and eye protection. Wash hand with soap and water after handling. Mechanical ventilation is not needed under normal operation.
Precautions for Safe Storage	Keep from freezing or from heating. Store in original container.

**Section 8: Exposure Controls/Personal Protection**

<b>Components</b>	<b>OSHA PEL &amp; ACGIH TLV</b>
Dipropylene Glycol Methyl Ether	600mg/m <sup>3</sup> 100ppm & 150ppm

Engineering Controls	The use of mechanical ventilation is not needed under normal conditions.
----------------------	--

Personal Protective Measures	Wear eye and skin protection.
------------------------------	-------------------------------

### Section 9: Physical and Chemical Properties

Appearance	Non-viscous black liquid
Odor	Bland
Odor Threshold	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	1.0 @ 70°F
pH	3.8 – 4.5
Viscosity	Not available
Weight/Gallon	8.4-8.8 lb/gal
Freezing Point	Not available
Boiling Point	Not available
Solubility in Water	Completely
Percent Volatile	Not available
Flash Point and Method	Will not flash
Flammable Limits	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Evaporation Rate	0.1 (n-butyl acetate=1)
Partition Coefficient: n-octanol/water	Not available
VOC%	103 g/liter (calculated)

### Section 10: Stability and Reactivity

Chemical Stability	This product is stable and hazardous polymerization will not occur.
Materials to Avoid	None known
Conditions to Avoid	None known
Hazardous Decomposition	None known

### Section 11: Toxicological Information

The complete toxicological data for each ingredient is unknown and otherwise beyond the scope of this document.

### Section 12: Ecological Information

This product is slightly harmful to fish and algae.

### Section 13: Disposal Considerations

Refer to Sections 5, 6, and 15 for disposal and regulatory information.

**Section 14: Transportation Information**

DOT Shipping Description            Unrestricted/Non-regulated

**Section 15: Regulatory Information**

TSCA                                        All components are listed on the TSCA.

CERCLA                                     Not reportable

SARA Title III  
Dipropylene Glycol Methyl  
Ether                                        Fire Hazard. Acute Health Hazard.  
Nonylphenol Ethoxylate                Acute Health Hazard  
Methylchloroisothiazolinone         Acute Health Hazard  
Oxidized Polyethylene                 Acute Health Hazard

**Section 16: Other Information**

NFPA Rating                                Health Hazard-1 Fire-0 Reactivity Hazard-0  
Key: 4=severe, 3=serious, 2=moderate, 1=slight, 0=minimal

Disclaimer                                 The information contained herein is based on data considered accurate.  
However, no warranty is expressed or implied regarding the accuracy of  
this data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third person.  
Proximate cause by the material if reasonable safety procedures are not  
adhered to as stipulated in the data sheet. Additionally, vendor assumes  
no responsibility for injury to vendee or third persons proximately caused  
by abnormal use of the material, even if reasonable safety procedures are  
followed. Furthermore, vendee assumes the risk in his use of the material.

# SAFETY DATA SHEET

Revision Date: 7/19/16

This Safety Data Sheet may be used to comply with OSHA's Hazard Communication Standard, 29 CFR 910.1200 and ANSI Z400-1-1998.

## Section 1: Identification of the Product and of the Company

Product Code	ETRIII VG-UV
Trade Name	ValuGard UV GARD
Product Description	Mixture
General Use	Trim UV clear protector
Manufacturer	<b>Automotive International</b>
Address	<b>8855 Blue Ash Rd. Cincinnati, Ohio 45242</b>
Phone	(513) 489-7883 (8am-5pm M-F)
Fax	(513) 489-1329
Chemtrec	(800) 262-8200 (24 hour)
Outside U.S.	(703) 741-5500

## Section 2: Hazards Identification

OSHA Hazards	Irritant
Signal Word	Warning
Hazard Statement(s)	H302 Harmful if swallowed H320 Causes eye irritation

Pictogram(s)



Precautionary Statement(s)	P264 Wash affected areas thoroughly after using.
	P270 Do not eat, drink or smoke when using this product.
	P301 IF SWALLOWED: Call a POISON CENTER or doctor/physician.
	+312
	P305 IF IN EYES: Rinse cautiously with water for several minutes.
	+351 Remove contact lenses if present and easy to do so –
	+338 continue rinsing.
	P330 Rinse mouth.
	P337 If eye irritation persists get medical attention.
	+ 313
	P501 Dispose of contents and container in accordance with local, regional, national, and/or international regulations.

## Section 3: Composition/Information on Ingredients

Component	CAS	Weight %
Dipropylene Glycol Methyl Ether	34590-94-8	8-16%
Acrylic Polymer Emulsion	Proprietary	15-20

### Hazardous Components

(OSHA 29 CFR 1910.1200)

None

The specific chemical identities and/or exact percentage concentration of composition may have been withheld as a trade secret.

### Section 4: First Aid Measures

Inhalation	None known
Skin Contact	None known
Eye Contact	Rinse with water for 15 minutes. Get medical attention if irritation persists.
Ingestion	Do not induce vomiting. Get medical attention.
Symptoms/Effects	None known

### Section 5: Firefighting Measures

Hazardous Combustion Products	Possible oxides of carbon.
Firefighting Instructions	Use water to must to cool fire exposed drum.
Firefighting Equipment	Bunker gear and SCBA.

### Section 6: Accidental Release Measures

Land Spill	Avoid run off into storm sewers or ditches by containment with sand or absorbent material.
Water Spill	Remove from water with suitable absorbent material.

### Section 7: Handling and Storage

Precautions for Safe Handling	Take normal care to prevent prolonged skin contact.
Precautions for Safe Storage	Keep from freezing or from heating above 110°F. Store in original container.

## Section 8: Exposure Controls/Personal Protection

<b>Components</b>	<b>OSHA PEL &amp; ACGIH TLV</b>
N/A	N/A
Engineering Controls	The use of mechanical ventilation is not needed under normal conditions.
Personal Protective Measures	Not needed under normal conditions. The use of rubber gloves and respirator is recommended for prolonged contact.

## Section 9: Physical and Chemical Properties

Appearance	Non viscous, white liquid. Blueish tint
Odor	Bland
Odor Threshold	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	1.0 @ 70°F
pH	4.2-4.5
Viscosity	Not available
Weight/Gallon	8.60 lb/gal
Freezing Point	32 f
Boiling Point	Not available
Solubility in Water	Completely
Percent Volatile	Not available
Flash Point and Method	Will not flash
Flammable Limits	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Evaporation Rate	0.1 (n-butyl acetate=1)
Partition Coefficient: n-octanol/water	Not available
VOC%	0 g/liter (calculated)

## Section 10: Stability and Reactivity

Chemical Stability	This product is stable and hazardous polymerization will not occur.
Materials to Avoid	None known
Conditions to Avoid	None known
Hazardous Decomposition	None known

## Section 11: Toxicological Information

The complete toxicological data for each ingredient is unknown and otherwise beyond the scope of this document.

## Section 12: Ecological Information

N/A

## Section 13: Disposal Considerations

Refer to Sections 5, 6, and 15 for disposal and regulatory information.

**Section 14: Transportation Information**

DOT Shipping Description      Unrestricted/Non-regulated

**Section 15: Regulatory Information**

TSCA      All components are listed on the TSCA.

CERCLA      Not reportable

SARA Title III      No known reportable ingredients.

**Section 16: Other Information**

NFPA Rating      Health Hazard-1 Fire-0 Reactivity Hazard-0  
Key: 4=severe, 3=serious, 2=moderate, 1=slight, 0=minimal

Disclaimer      The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third person. Proximate cause by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.



# SAFETY DATA SHEET


Revision Date: 2/27/16

This Safety Data Sheet may be used to comply with OSHA's Hazard Communication Standard, 29 CFR 910.1200 and ANSI Z400-1-1998.

## Section 1: Identification of the Product and of the Company

Product Code	VG-N122
Trade Name	ValuGard New Car Prep
Product Description	Solvent Mixture
General Use	Automotive Bug and Tar Grease Remover
Manufacturer	Automotive International
Address	8855 Blue Ash Rd. Cincinnati, Ohio 45242
Phone	(513) 489-7883 (8am-5pm M-F)
Fax	(513) 489-1329
Chemtrec	(800) 262-8200 (24 hour)
Outside U.S.	(703) 741-5500

## Section 2: Hazards Identification

OSHA Hazards	Combustible Liquid
Signal Word	Danger
Hazard Statement(s)	H227 Combustible Liquid H302 Harmful if swallowed H315 Causes skin irritation H320 Causes eye irritation
Pictogram(s)	
Precautionary Statement(s)	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/eye protection. P305 IF IN EYES: Rinse cautiously with water for several minutes. +351 Remove contact lenses if present and easy to do so – +338 continue rinsing.

## Section 3: Composition/Information on Ingredients

Component	CAS #	Components
Hydrotreated Light Distillate	64742-47-8	60-80%
Aliphatic Hydrocarbon	8052-41-3	10-20%
Aromatic Hydrocarbon	64742-94-5	10-20%

**Hazardous Components**  
Hydrotreated Light Distillate  
Aliphatic Hydrocarbon

(OSHA 29 CFR 1910.1200)

## Aromatic Hydrocarbon

The specific chemical identities and/or exact percentage concentration of composition may have been withheld as a trade secret.

**VOC Compliant** 11/29/04

### Section 4: First Aid Measures

Inhalation	None known
Skin Contact	Wash with soap and water. Rinse thoroughly.
Eye Contact	Rinse with water for 15 minutes. Get medical attention if irritation persists.
Ingestion	Do not induce vomiting. Get medical attention.
Symptoms/Effects	None known

### Section 5: Firefighting Measures

Hazardous Combustion Products	Possible oxides of carbon.
Firefighting Instructions	Use water mist to cool fire exposed drum.
Firefighting Equipment	Bunker gear and SCBA.

### Section 6: Accidental Release Measures

Land Spill	Avoid run off into storm sewers or ditches by containment with sand or absorbent material.
Water Spill	Remove from water with suitable absorbent material.

### Section 7: Handling and Storage

Precautions for Safe Handling	Take normal care to prevent prolonged skin contact.
Precautions for Safe Storage	Keep from freezing or from heating above 110°F. Store in original container.

### Section 8: Exposure Controls/Personal Protection

<b>Components</b>	<b>OSHA PEL &amp; ACGIH TLV</b>
Hydrotreated Light Distillate	400 ppm
Aliphatic Hydrocarbon	100 ppm
Aromatic Hydrocarbon	25 ppm
Engineering Controls	The use of mechanical ventilation is not needed under normal conditions.
Personal Protective Measures	The use of goggles and rubber/vinyl gloves is needed.

## Section 9: Physical and Chemical Properties

Appearance	Non viscous, Clear/yellowish liquid
Odor	Hydrocarbon
Odor Threshold	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	0.78 @ 70°F
pH	Not available
Viscosity	Not available
Weight/Gallon	6.58 lb/gal
Freezing Point	Not available
Boiling Point	Not available
Solubility in Water	Insoluble
Percent Volatile	Not available
Flash Point and Method	142°F (61.1°C) TCC
Flammable Limits	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Evaporation Rate	0.1 (n-butyl acetate=1)
Partition Coefficient: n-octanol/water	Not available
VOC%	315.4 g/liter (calculated)

## Section 10: Stability and Reactivity

Chemical Stability	This product is stable and hazardous polymerization will not occur.
Materials to Avoid	None known
Conditions to Avoid	None known
Hazardous Decomposition	None known

## Section 11: Toxicological Information

The complete toxicological data for each ingredient is unknown and otherwise beyond the scope of this document.

## Section 12: Ecological Information

This product is harmful to fish and algae upon immediate exposure.

## Section 13: Disposal Considerations

Refer to Sections 5, 6, and 15 for disposal and regulatory information.

## Section 14: Transportation Information

DOT Shipping Description	Combustible Liquid Not regulated for ground transport.
--------------------------	--

## Section 15: Regulatory Information

TSCA	All components are listed on the TSCA.
------	--

CERCLA	Not reportable
SARA Title III	No known reportable ingredients.

**Section 16: Other Information**

NFPA Rating	Health Hazard-2 Fire-2 Reactivity Hazard-0 Key: 4=severe, 3=serious, 2=moderate, 1=slight, 0=minimal
-------------	---

Disclaimer	The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.
------------	---

Vendor assumes no responsibility for injury to vendee or third person. Proximate cause by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.